


Product Specification

Description	LED Amusement Lamp
Model NO	YJLED-015-SM16RGB

Product Picture



Ip44 CE RoHS

Product Application



Amusement LED Lamps are widely used in the park, Theme park, amusement park and all kinds of amusement machines




SHENZHEN AGLARE LIGHTING CO., LTD
Web: www.aglare.cn/ www.amusementlamp.com
Email: aglare@aglare.cn
Tel: +86-75588868631

Product Structure


SIDE




TOP




BOTTOM



Product Material



Product size




Unit : mm

Product Parameters

Part No.	Voltage	Color	Watts	LEDs	IP	Beam angle	Weight
YJLED-015-SM16RGB	AC24V		max1.2W	16pcs RGB5050	Ip44	120°	13.2g


R: 625-630nm G: 520-525nm B: 465-470nm Y: 585-595nm O: 600-605nm P: 390-410nm

Product Installation




Step1

Turn off the power



Step2


Dill hole($\varnothing=19\text{mm}\sim 23\text{mm}$)



Step3

Step4

Through the lamp into the hole
According to the order of 1-16




Step5

Spin this lid in a clockwise
direction.



Step6

The lamp housing and lamp are
installed into E14 lampholder.



Step7

Install the upper cover.



SHENZHEN AGLARE LIGHTING CO., LTD


Web: www.aglare.cn/ www.amusementlamp.com

Email: aglare@aglare.cn


Tel: +86-75588868631

Product Wiring Diagram

Mode 1




Mode 1



NOTE:

- 1 The power of the lamp is max1.2W;input voltageAC24V
- 2 The main wire is recommended for each square MM maximum 10A current
- 3 Non overload use

Product Package



WEIGHT/PCS	Blister Size	G. W	PCS/CARTON	CARTON SIZE
13.2g	60*28.8*7cm	14.5KG	1003	61*36*38cm

Instructions:

K=K Material Carton
PVC blister box

Caution

Please read the specification before used:

Working temperature range -25°C - 45°C

Working voltage range less than+ $_{-}10\%$

Please turn off the power before installation



SHENZHEN AGLARE LIGHTING CO., LTD

Web: www.aglare.cn/ www.amusementlamp.com

Email: aglare@aglare.cn

Tel: +86-75588868631